

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Madison County, Iowa

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|-----------------------------------------------------------------------------------------|---------------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| Au: ALLUVIAL LAND | ALLUVIAL LAND | No | --- | --- | --- | --- | --- | 3,328 |
| | OTHER | Yes | flood plain | 2B3,4 | YES | YES | NO | 175 |
| Av: ALLUVIAL LAND, CHANNELED | ALLUVIAL LAND | Yes | flood plain | 4 | NO | YES | NO | 770 |
| | OTHER | Yes | oxbow | 2B3,3 | YES | NO | YES | 40 |
| AwD: ARBOR LOAM, 9 TO 14 PERCENT SLOPES | ARBOR | No | --- | --- | --- | --- | --- | 895 |
| Br: BREMER SILTY CLAY LOAM | BREMER | Yes | terrace | 2B3 | YES | NO | NO | 840 |
| CbD2: CALEB LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | CALEB | No | --- | --- | --- | --- | --- | 395 |
| CeD2: CALEB-MYSTIC LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | CALEB | No | --- | --- | --- | --- | --- | 382 |
| | MYSTIC | No | --- | --- | --- | --- | --- | 230 |
| | OTHER | No | --- | --- | --- | --- | --- | 153 |
| CeE2: CALEB-MYSTIC LOAMS, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED | CALEB | No | --- | --- | --- | --- | --- | 137 |
| | MYSTIC | No | --- | --- | --- | --- | --- | 82 |
| | OTHER | No | --- | --- | --- | --- | --- | 55 |
| ClD2: CLANTON SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | CLANTON | No | --- | --- | --- | --- | --- | 144 |
| ClF2: CLANTON SILT LOAM, 14 TO 25 PERCENT SLOPES, MODERATELY ERODED | CLANTON | No | --- | --- | --- | --- | --- | 491 |
| CmD2: CLANTON-GOSPORT SILT LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | CLANTON | No | --- | --- | --- | --- | --- | 131 |
| | GOSPORT | No | --- | --- | --- | --- | --- | 79 |
| | OTHER | No | --- | --- | --- | --- | --- | 52 |

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Madison County, Iowa

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|------------------------------------------------------------------------------------------|------------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| CmE2: CLANTON-GOSPORT SILT LOAMS, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED | CLANTON | No | --- | --- | --- | --- | --- | 250 |
| | GOSPORT | No | --- | --- | --- | --- | --- | 150 |
| | OTHER | No | --- | --- | --- | --- | --- | 100 |
| CmF2: CLANTON-GOSPORT SILT LOAMS, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED | CLANTON | No | --- | --- | --- | --- | --- | 1,348 |
| | GOSPORT | No | --- | --- | --- | --- | --- | 809 |
| | OTHER | No | --- | --- | --- | --- | --- | 539 |
| CmG2: CLANTON-GOSPORT SILT LOAMS, 25 TO 40 PERCENT SLOPES, MODERATELY ERODED | CLANTON | No | --- | --- | --- | --- | --- | 656 |
| | GOSPORT | No | --- | --- | --- | --- | --- | 394 |
| | OTHER | No | --- | --- | --- | --- | --- | 263 |
| CnC: CLARINDA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES | CLARINDA | Yes | hill | 2B3 | YES | NO | NO | 855 |
| CnC2: CLARINDA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED | CLARINDA | Yes | hill | 2B3 | YES | NO | NO | 527 |
| CoC: CLEARFIELD SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES | CLEARFIELD | Yes | hill | 2B3 | YES | NO | NO | 4,280 |
| CoC2: CLEARFIELD SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED | CLEARFIELD | Yes | hill | 2B3 | YES | NO | NO | 3,047 |
| CsB: CLINTON SILT LOAM, 2 TO 5 PERCENT SLOPES | CLINTON | No | --- | --- | --- | --- | --- | 1,465 |
| CsC: CLINTON SILT LOAM, 5 TO 9 PERCENT SLOPES | CLINTON | No | --- | --- | --- | --- | --- | 503 |
| CsC2: CLINTON SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED | CLINTON | No | --- | --- | --- | --- | --- | 5,337 |

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Madison County, Iowa

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|---------------------------------------------------------------------------------------|----------------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| CsD2: CLINTON SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | CLINTON | No | --- | --- | --- | --- | --- | 3,164 |
| CtB: CLINTON SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES | CLINTON | No | --- | --- | --- | --- | --- | 394 |
| Cu: COLO SILTY CLAY LOAM | COLO | Yes | flood plain | 2B3 | YES | NO | NO | 2,260 |
| Cv: COLO SILTY CLAY LOAM, CHANNELED | COLO | Yes | flood plain | 2B3,4 | YES | YES | NO | 268 |
| | OTHER | Yes | oxbow | 2B3,3 | YES | NO | YES | 14 |
| CwB: COLO-ELY SILTY CLAY LOAMS, 2 TO 5 PERCENT SLOPES | COLO | Yes | flood plain | 2B3 | YES | NO | NO | 4,012 |
| | ELY | No | --- | --- | --- | --- | --- | 2,006 |
| | OTHER | No | --- | --- | --- | --- | --- | 669 |
| CyB: COLO-ELY SILTY CLAY LOAMS, GULLIED, 2 TO 5 PERCENT SLOPES | COLO | Yes | flood plain | 2B3 | YES | NO | NO | 6,184 |
| | ELY | No | --- | --- | --- | --- | --- | 3,710 |
| | OTHER | No | --- | --- | --- | --- | --- | 2,474 |
| DbD2: DUNBARTON SILT LOAM, DEEP VARIANT, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | DUNBARTON VARIANT | No | --- | --- | --- | --- | --- | 367 |
| ElB: ELY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES | ELY | No | --- | --- | --- | --- | --- | 2,594 |
| | OTHER | Yes | flood plain | 2B3 | YES | NO | NO | 137 |
| Fg: FLAGGY ALLUVIAL LAND | FLAGGY ALLUVIAL LAND | No | --- | --- | --- | --- | --- | 675 |
| | OTHER | Yes | flood plain | 2B3 | YES | NO | NO | 36 |
| GaC2: GARA LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED | GARA | No | --- | --- | --- | --- | --- | 131 |
| GaD2: GARA LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | GARA | No | --- | --- | --- | --- | --- | 4,224 |

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Madison County, Iowa

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|------------------------------------------------------------------------|-----------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|--------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| GaE: GARA LOAM, 14 TO 18 PERCENT SLOPES | GARA | No | --- | --- | --- | --- | --- | 390 |
| GaE2: GARA LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED | GARA | No | --- | --- | --- | --- | --- | 14,935 |
| GaF2: GARA LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED | GARA | No | --- | --- | --- | --- | --- | 14,709 |
| GaG: GARA LOAM, 25 TO 40 PERCENT SLOPES | GARA | No | --- | --- | --- | --- | --- | 2,095 |
| Gn: GIVIN SILT LOAM | GIVIN | No | --- | --- | --- | --- | --- | 428 |
| | OTHER | Yes | depression | 2B3 | YES | NO | NO | 22 |
| Go: GIVIN SILT LOAM, BENCHES | GIVIN | No | --- | --- | --- | --- | --- | 438 |
| | OTHER | Yes | depression | 2B3 | YES | NO | NO | 23 |
| GpE: GOSPORT SILT LOAM, 14 TO 18 PERCENT SLOPES | GOSPORT | No | --- | --- | --- | --- | --- | 211 |
| GpF: GOSPORT SILT LOAM, 18 TO 25 PERCENT SLOPES | GOSPORT | No | --- | --- | --- | --- | --- | 330 |
| HxG: HIXTON FINE SANDY LOAM, 20 TO 40 PERCENT SLOPES | HIXTON | No | --- | --- | --- | --- | --- | 339 |
| JuB: JUDSON SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES | JUDSON | No | --- | --- | --- | --- | --- | 373 |
| Ke: KENNEBEC SILT LOAM | KENNEBEC | No | --- | --- | --- | --- | --- | 4,216 |
| | OTHER | Yes | flood plain | 2B3 | YES | NO | NO | 222 |
| KkD2: KESWICK LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | KESWICK | No | --- | --- | --- | --- | --- | 693 |
| LaB: LADOGA SILT LOAM, 2 TO 5 PERCENT SLOPES | LADOGA | No | --- | --- | --- | --- | --- | 6,797 |

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Madison County, Iowa

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|-----------------------------------------------------------------------------|-----------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|--------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| LaB2: LADOGA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED | LADOGA | No | --- | --- | --- | --- | --- | 624 |
| LaC: LADOGA SILT LOAM, 5 TO 9 PERCENT SLOPES | LADOGA | No | --- | --- | --- | --- | --- | 1,369 |
| LaC2: LADOGA SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED | LADOGA | No | --- | --- | --- | --- | --- | 23,784 |
| LaD: LADOGA SILT LOAM, 9 TO 14 PERCENT SLOPES | LADOGA | No | --- | --- | --- | --- | --- | 454 |
| LaD2: LADOGA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | LADOGA | No | --- | --- | --- | --- | --- | 7,503 |
| LaE2: LADOGA SILT LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED | LADOGA | No | --- | --- | --- | --- | --- | 155 |
| LbB: LADOGA SILT LOAM, BENCHES, 2 TO 5 PERCENT SLOPES | LADOGA | No | --- | --- | --- | --- | --- | 1,164 |
| LcC: LAMONI CLAY LOAM, 5 TO 9 PERCENT SLOPES | LAMONI | No | --- | --- | --- | --- | --- | 399 |
| LcC2: LAMONI CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED | LAMONI | No | --- | --- | --- | --- | --- | 1,368 |
| LcD: LAMONI CLAY LOAM, 9 TO 14 PERCENT SLOPES | LAMONI | No | --- | --- | --- | --- | --- | 885 |
| LcD2: LAMONI CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | LAMONI | No | --- | --- | --- | --- | --- | 17,655 |
| LcD3: LAMONI CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED | LAMONI | No | --- | --- | --- | --- | --- | 706 |
| LdD2: LINDLEY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | LINDLEY | No | --- | --- | --- | --- | --- | 231 |
| LdE2: LINDLEY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED | LINDLEY | No | --- | --- | --- | --- | --- | 1,465 |

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Madison County, Iowa

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|-----------------------------------------------------------------------------|-------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|--------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| LdF: LINDLEY LOAM, 18 TO 25 PERCENT SLOPES | LINDLEY | No | --- | --- | --- | --- | --- | 1,623 |
| LdG: LINDLEY LOAM, 25 TO 40 PERCENT SLOPES | LINDLEY | No | --- | --- | --- | --- | --- | 2,273 |
| LeE3: LINDLEY SOILS, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED | LINDLEY | No | --- | --- | --- | --- | --- | 833 |
| MbA: MACKSBURG SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES | MACKSBURG | No | --- | --- | --- | --- | --- | 20,904 |
| | OTHER | Yes | depression | 2B3 | YES | NO | NO | 1,100 |
| MbB: MACKSBURG SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES | MACKSBURG | No | --- | --- | --- | --- | --- | 9,158 |
| | OTHER | Yes | depression | 2B3 | YES | NO | NO | 482 |
| MgB: MARTINSBURG SILT LOAM, 2 TO 5 PERCENT SLOPES | MARTINSBURG | No | --- | --- | --- | --- | --- | 268 |
| MtD2: MYSTIC LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | MYSTIC | No | --- | --- | --- | --- | --- | 331 |
| MyD2: MYSTIC-CLANTON COMPLEX, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | MYSTIC | No | --- | --- | --- | --- | --- | 101 |
| | CLANTON | No | --- | --- | --- | --- | --- | 61 |
| | OTHER | No | --- | --- | --- | --- | --- | 40 |
| MyE2: MYSTIC-CLANTON COMPLEX, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED | MYSTIC | No | --- | --- | --- | --- | --- | 198 |
| | CLANTON | No | --- | --- | --- | --- | --- | 118 |
| | OTHER | No | --- | --- | --- | --- | --- | 79 |
| NeA: NEVIN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES | NEVIN | No | --- | --- | --- | --- | --- | 1,264 |
| | OTHER | Yes | depression | 2B3 | YES | NO | NO | 67 |

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Madison County, Iowa

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|----------------------------------------------------------------------------------------|-------------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|--------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| NeB: NEVIN SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES | NEVIN | No | --- | --- | --- | --- | --- | 352 |
| | OTHER | Yes | depression | 2B3 | YES | NO | NO | 18 |
| NlC2: NIRA SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED | NIRA | No | --- | --- | --- | --- | --- | 2,161 |
| NM: NODAWAY SILT LOAM | NODAWAY | No | --- | --- | --- | --- | --- | 3,201 |
| | OTHER | Yes | flood plain | 2B3 | YES | NO | NO | 168 |
| Nn: NODAWAY SILT LOAM, CHANNELED | NODAWAY | No | --- | --- | --- | --- | --- | 489 |
| | OTHER | Yes | oxbow | 2B3,3 | YES | NO | YES | 27 |
| | OTHER | Yes | flood plain | 4 | NO | YES | NO | 27 |
| NoB: NODAWAY-MARTINSBURG SILT LOAMS, 2 TO 5 PERCENT SLOPES | NODAWAY | No | --- | --- | --- | --- | --- | 218 |
| | MARTINSBURG | No | --- | --- | --- | --- | --- | 131 |
| | OTHER | Yes | flood plain | 2B3 | YES | NO | NO | 87 |
| NrE: NORDNESS LOAM, 15 TO 25 PERCENT SLOPES | NORDNESS | No | --- | --- | --- | --- | --- | 2,007 |
| OmB: OLMITZ LOAM, 2 TO 5 PERCENT SLOPES | OLMITZ | No | --- | --- | --- | --- | --- | 1,101 |
| OmC: OLMITZ LOAM, 5 TO 9 PERCENT SLOPES | OLMITZ | No | --- | --- | --- | --- | --- | 1,136 |
| SbA: SHARPSBURG SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES | SHARPSBURG | No | --- | --- | --- | --- | --- | 3,187 |
| SbB: SHARPSBURG SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES | SHARPSBURG | No | --- | --- | --- | --- | --- | 36,420 |
| SbB2: SHARPSBURG SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED | SHARPSBURG | No | --- | --- | --- | --- | --- | 639 |

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Madison County, Iowa

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|-----------------------------------------------------------------------------------------|------------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|--------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| SbC: SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES | SHARPSBURG | No | --- | --- | --- | --- | --- | 7,834 |
| SbC2: SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED | SHARPSBURG | No | --- | --- | --- | --- | --- | 31,880 |
| SbD2: SHARPSBURG SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | SHARPSBURG | No | --- | --- | --- | --- | --- | 1,340 |
| ScA: SHARPSBURG SILTY CLAY LOAM, BENCHES, 0 TO 2 PERCENT SLOPES | SHARPSBURG | No | --- | --- | --- | --- | --- | 146 |
| ScB: SHARPSBURG SILTY CLAY LOAM, BENCHES, 2 TO 5 PERCENT SLOPES | SHARPSBURG | No | --- | --- | --- | --- | --- | 512 |
| ShD2: SHELBY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED | SHELBY | No | --- | --- | --- | --- | --- | 247 |
| ShE: SHELBY LOAM, 14 TO 18 PERCENT SLOPES | SHELBY | No | --- | --- | --- | --- | --- | 509 |
| ShE2: SHELBY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED | SHELBY | No | --- | --- | --- | --- | --- | 6,597 |
| ShF2: SHELBY LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED | SHELBY | No | --- | --- | --- | --- | --- | 4,207 |
| SkE3: SHELBY SOILS, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED | SHELBY | No | --- | --- | --- | --- | --- | 338 |
| S1C2: SHELBY-LAMONI COMPLEX, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED | SHELBY | No | --- | --- | --- | --- | --- | 66 |
| | LAMONI | No | --- | --- | --- | --- | --- | 40 |
| | OTHER | No | --- | --- | --- | --- | --- | 27 |
| S1D: SHELBY-LAMONI COMPLEX, 9 TO 14 PERCENT SLOPES | SHELBY | No | --- | --- | --- | --- | --- | 213 |

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|-------------------------------------------------------------------------------------|--------------------|----------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| S1D2: SHELBY-LAMONI COMPLEX, 9 TO 14 PERCENT SLOPES, MODERATELY ERODE | LAMONI | No | --- | --- | --- | --- | --- | 128 |
| | OTHER | No | --- | --- | --- | --- | --- | 85 |
| | SHELBY | No | --- | --- | --- | --- | --- | 4,532 |
| | LAMONI | No | --- | --- | --- | --- | --- | 2,719 |
| | OTHER | No | --- | --- | --- | --- | --- | 1,813 |
| S1D3: SHELBY-LAMONI COMPLEX, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED | SHELBY | No | --- | --- | --- | --- | --- | 173 |
| | LAMONI | No | --- | --- | --- | --- | --- | 104 |
| | OTHER | No | --- | --- | --- | --- | --- | 69 |
| | SHELBY | No | --- | --- | --- | --- | --- | 4,072 |
| | LAMONI | No | --- | --- | --- | --- | --- | 2,443 |
| S1E2: SHELBY-LAMONI COMPLEX, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED | OTHER | No | --- | --- | --- | --- | --- | 1,629 |
| | SHELBY | No | --- | --- | --- | --- | --- | 214 |
| | LAMONI | No | --- | --- | --- | --- | --- | 128 |
| | OTHER | No | --- | --- | --- | --- | --- | 85 |
| | SLOPING STONY LAND | Unranked | --- | --- | --- | --- | --- | 682 |
| Sp: SPERRY SILT LOAM | SPERRY | Yes | depression | 2B3,3 | YES | NO | YES | 411 |
| Sr: SPILLVILLE LOAM | SPILLVILLE | No | --- | --- | --- | --- | --- | 317 |
| | OTHER | Yes | flood plain | 2B3 | YES | NO | NO | 17 |
| Ss: SPILLVILLE LOAM, FLAGGY SUBSTRATUM | SPILLVILLE | No | --- | --- | --- | --- | --- | 276 |
| | OTHER | Yes | flood plain | 2B3 | YES | NO | NO | 15 |

Hydric Soils List

Madison County, Iowa

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|--------------------------------------------------------|--------------------|----------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| StG: STEEP ROCK LAND | STEEP ROCK LAND | Unranked | --- | --- | --- | --- | --- | 6,378 |
| VeA: VESSER SILT LOAM, 0 TO 2 PERCENT SLOPES | VESSER | Yes | flood plain | 2B3 | YES | NO | NO | 389 |
| VeB: VESSER SILT LOAM, 2 TO 5 PERCENT SLOPES | VESSER | Yes | flood plain | 2B3 | YES | NO | NO | 197 |
| Wa: WABASH SILTY CLAY | WABASH | Yes | flood plain | 2B3,3 | YES | NO | YES | 201 |
| Wb: WABASH SILTY CLAY LOAM | WABASH | Yes | flood plain | 2B3,3 | YES | NO | YES | 3,385 |
| Wc: WINTERSET SILTY CLAY LOAM | WINTERSET | Yes | ridge | 2B3 | YES | NO | NO | 4,711 |
| WoA: WIOTA SILT LOAM, 0 TO 2 PERCENT SLOPES | WIOTA | No | --- | --- | --- | --- | --- | 319 |
| WoB: WIOTA SILT LOAM, 2 TO 5 PERCENT SLOPES | WIOTA | No | --- | --- | --- | --- | --- | 231 |
| ZoA: ZOOK SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES | ZOOK | Yes | flood plain | 2B3 | YES | NO | NO | 9,211 |
| ZoB: ZOOK SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES | ZOOK | Yes | flood plain | 2B3 | YES | NO | NO | 2,389 |

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Mills County, Iowa

| Map symbol and map unit name | Component | Hydric | Local landform | Hydric soils criteria | | | | Acres |
|-----------------------------------------------------------------------|-----------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|--------|
| | | | | Hydric criteria code | Meets saturation criteria | Meets flooding criteria | Meets ponding criteria | |
| 1C: IDA SILT LOAM, 5 TO 9 PERCENT SLOPES | IDA | No | --- | --- | --- | --- | --- | 385 |
| 1C3: IDA SILT LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED | IDA | No | --- | --- | --- | --- | --- | 720 |
| 1D: IDA SILT LOAM, 9 TO 14 PERCENT SLOPES | IDA | No | --- | --- | --- | --- | --- | 3,040 |
| 1D3: IDA SILT LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED | IDA | No | --- | --- | --- | --- | --- | 4,720 |
| 1E: IDA SILT LOAM, 14 TO 20 PERCENT SLOPES | IDA | No | --- | --- | --- | --- | --- | 2,185 |
| 1E3: IDA SILT LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED | IDA | No | --- | --- | --- | --- | --- | 8,490 |
| 1F: IDA SILT LOAM, 20 TO 30 PERCENT SLOPES | IDA | No | --- | --- | --- | --- | --- | 2,630 |
| 1F3: IDA SILT LOAM, 20 TO 30 PERCENT SLOPES, SEVERELY ERODED | IDA | No | --- | --- | --- | --- | --- | 3,020 |
| 2G: HAMBURG-IDA SILT LOAMS, 30 TO 75 PERCENT SLOPES | HAMBURG | No | --- | --- | --- | --- | --- | 2,022 |
| | IDA | No | --- | --- | --- | --- | --- | 1,011 |
| | OTHER | No | --- | --- | --- | --- | --- | 337 |
| 3E: CASTANA SILT LOAM, 9 TO 20 PERCENT SLOPES | CASTANA | No | --- | --- | --- | --- | --- | 205 |
| 8B: JUDSON SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES | JUDSON | No | --- | --- | --- | --- | --- | 13,824 |
| | COLO | Yes | flood plain | 2B3 | YES | NO | NO | 1,536 |
| 8C: JUDSON SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES | JUDSON | No | --- | --- | --- | --- | --- | 290 |
| 9: MARSHALL SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES | MARSHALL | No | --- | --- | --- | --- | --- | 1,685 |